

OUTPATIENT, RESP THERAPY

KEY NOTES

1. COORDINATE LOCATION OF M1620, PATIENT CHART HOLDER, AND ROOM SIGNAGE.
2. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF.
3. MOUNT A5145, HOOK, AT 1372 [4'-6"] AFF. PROVIDE 2-A5145'S FOR NAVY PROJECTS ONLY. MOUNT 1-A5145 AT 1372 [4'-6"] AFF AND 1-A5145 AT 1524 [5'-0"] AFF.
4. LENGTH OF E1500, WALL MOUNTED RAIL, TO BE DETERMINED BY MANUFACTURER/INSTALLER.
5. WING WALLS MAY BE USED INSTEAD OF A5180, CURTAIN, TO PROVIDE SEPARATION BETWEEN CUBICLES.
6. ROOM SIZE MAY VARY ACCORDING TO NUMBER OF CUBICLES NEEDED.
7. COORDINATE LOCATIONS OF ELECTRICAL AND DATA OUTLETS WITH M1802, WALL MOUNTED, FOLD DOWN COMPUTER.
8. P3200, ELECTRONIC LAVATORY, MAY BE USED INSTEAD OF P3100, LAVATORY. FOR THE P3200 PROVIDE EITHER BATTERY POWER OR HARD WIRED CONNECTION.

OUTPATIENT, RESPIRATION THERAPY (OPRT1)

CARDIOLOGY/PULMONARY SERVICES

FLOOR/EQUIPMENT PLAN 13.94 NSM (150 NSF)

DATE: 01/28/2002

0 1000 2000

1:50 SCALE (MILLIMETERS)